

MAJOR CLASSIFICATION INDEX OF ARTICLES

ANALYTICAL METHODS

On-site Hg analysis of soil at hazardous waste sites 281–290

ENERGY RESOURCES

Coal

Mineralogy and geochemistry of coals and their combustion products, Turkey 911–919

Geothermal

Origin of fluids in the geothermal field of Los Azures, Mexico 1595–1610

Petroleum and natural gas

Assessing maturity of oil trapped in fluid inclusions 451–473

Composition and origin of coalbed gases in SW Poland 895–910

He and C isotopes in natural gases from the Taranaki Basin, New Zealand 419–436

ENVIRONMENTAL GEOCHEMISTRY

A 120-a record of N and C cycling in Lake Alexandrina, Australia 73–84

A siderite/limestone reactor to remove As and Cd from wastewaters 1241–1249

Acidic groundwaters in coal-bearing strata: rare earth element fingerprinting 1465–1480

Adsorption characteristics of δ -MnO₂ 1067–1082

As (V) adsorption onto α -Al₂O₃ 793–802

B isotopes in *Coffea arabica* beans 317–322

Behaviour of As in contaminated soils 571–581

Bioavailability of soil Al to tea plants 1413–1418

Biodegradation of PAH with non-ionic surfactants in soil slurry 1419–1428

Biogeochemical evolution of trace elements in a pristine watershed, SE Brazil 1139–1151

Buffering by secondary minerals as a migration limiting factor in Pb polluted soils at historical smelting sites 1193–1199

C isotopes in a tropical river affected by bauxite processing 197–206

Characterisation of chlorinated hydrocarbons with Cl and C isotopes: environmental applications 1021–1031

Chemical partitioning in soils contaminated by mining and smelting 1693–1706

Chemistry of and REE in mosses, lichens and vascular plants, Nanavut, Canada 245–270

Conditions for precipitation of iron by *Gallionella ferruginea* in slightly polluted water 1129–1137

Cu and Zn surface complexes on ferrihydrite and schwertmannite 503–511

Cyclic organosilicon compounds in air of the Pearl River Delta area 1447–1454

Determination of cerrusite and inferences for transport at an old Pb mining site 597–608

Dilution and removal of dissolved metals from AMD, Imgok Creek, Korea 1041–1053

- Ecotoxicological assessment of heavy metals in sewage sludge amended soils 1405–1411
- Effect of acid soil leaching on stream water chemistry, W. Finland 387–396
- Effect of soil structure on bioavailability of PAH 1611–1619
- Effect of sulphide impurities on reactivity of pyrite 803–819
- Environmental effect of volcanic emissions, Mount Etna, Sicily 985–1000
- Evidence that polysaccharide and humic and fulvic acid are co-extracted during analysis but have different roles in the chemistry of waters 1261–1267
- Fe speciation in modern sediment from Erhai Lake, SW China 1201–1213
- Geochemistry in an anoxic fjord, W. Norway 363–374
- Geochemistry of suspended particles in a mine-affected mountain stream 1663–1676
- Geochemistry of Voronin Trough cores, Kara Sea, European Arctic 19–34
- Green rust "fougerite" mineral — potential for reducing soil pollutants 559–570
- Heavy metals around the Daduk Au-Ag-Pb-Zn mine, Korea 1377–1386
- Heavy metals in soils and waters around the Imcheon Au-Ag mine, Korea 1369–1375
- Heavy metals in urban soils and street dusts, Hong Kong 1361–1368
- Hg and CH_3Hg^+ in water and sediment of the Sacramento River Basin 1677–1691
- Hg in coastal sediments due to cinnabar mining 541–558
- Historical record of PAH and heavy metals in the Rhine floodplain sediments 1707–1721
- Influence of S deposition rates on SO_4 retention in aerated forest soils 1003–1019
- Kinetics of metal ion sorption on lake sediments 651–658
- Loading capacity of agricultural soils for heavy metals, applications in China 1397–1403
- Major element geochemistry of sediments from the Fláje basin, Czech Republic 271–279
- Molecular tracers in organic aerosols from biomass burning: deciduous trees 1545–1565
- Molecular tracers in organic aerosols from biomass burning: temperate climate conifers 1513–1544
- Multi-element sediment geochemistry of the Pearl River, China 1251–1259
- Occurrence of Al_{13} in soil solutions and surface waters 513–529
- Oxidative dissolution of metacinnabar by dissolved O_2 1499–1512
- PAH in sediments of the Pearl River and estuary, China 1429–1445
- Pb isotopes and chalcophile elements in the vicinity of a Zn smelter/recovery facility, Pennsylvania 207–229
- Pb isotopes in the urban environment, Pearl River Delta 409–417
- Pollution of waters by AMD in the Gangreung coalfield, Korea 1387–1396
- Quantification of O_2 consumption and SO_4 release rates for wastes rock piles at a U mine, Saskatchewan, Canada 1215–1230
- Ra in groundwaters of Palaeozoic carbonate aquifers, USA 109–122
- REE migration and fractionation in salts next to a basalt dyke 351–361
- Relationship between basal till and surface soil chemistry in forests, Finland 123–136
- Solid phase partitioning of metals in Managed Realignment soils: laboratory studies with soil and seawater 1621–1630
- Solid-water partitioning of elements in Czech freshwaters 437–450
- Standard reference water samples for REE 231–244
- TEM-EDX investigation on Zn- and Pb-contaminated soils 1165–1177
- Trace element release from Penn mine base-metal slag dump, California 1567–1593
- Use of cyclic voltammetry to evaluate reactivity in sulphide mining residues 1631–1640
- U-series disequilibrium of volcanic gases: implications for volcanic and geochemical risk 57–72

- Sorption-desorption of ^{85}Sr on montmorillonite and silica colloids 1653–1662
Sr sorption to bacteria, Fe_2O_3 and composite bacteria- Fe_2O_3 surfaces 939–946
Vertical profiles of trace metals and AVS in sediment, Lake Ketel, The Netherlands 781–791
Volatile organic acids and microbial processes in the Yegua formation, Texas 183–195
Water chemistry and the distribution of an acidophilic protozoan in an AMD system, Indiana 1641–1652

Geochemical mapping

- Environmental geochemistry at the global scale 1291–1308
Geochemical mapping in the Asia-Pacific region 1309–1321
Large scale patterns in low density maps of C-horizon podzols in Arctic Europe 963–983
Low-density geochemical mapping in Portugal 1323–1331
Multi element, multi-medium regional geochemistry of the European Arctic 759–780
Regional geochemistry of the central Barents region using terrestrial moss 137–159
Use of multivariate statistics and GIS to trace contamination around the Chungnam coal mine, Korea 1455–1464

Geochemistry and health

- A soil sorbent for defluoridation of drinking water 531–539
Biogeochemical cycling of Se in China 1345–1351
Geology and geochemistry of high-As coals from endemic arsenosis areas in SW Guizhou Province, China 1353–1360
Se in a mini-landscape of Yutangba, Enshi, Hubei Province, China 1333–1344

Groundwater

- Boron and its isotopes in groundwaters 821–834
Brines in the Carboniferous Sydney Coalfield, Canada 35–55
 ^{14}C in groundwater in sedimentary rocks, Tono, central Japan 849–859
Changes in hydrogeochemical conditions due to tunnelling at Äspö, Sweden 291–315
Chemistry, isotopic data and temperature of water inflows to 2 Swiss tunnels 633–649
Contamination of deep formation water by drilling fluids 1083–1096
Effect of mine closure on shallow groundwater quality, Sardinia 489–502
Evaporative chemical evolution of waters at Yucca Mountain 1231–1240
Factors which control the chemistry of karstic springs: A case study 1179–1192
Groundwater composition, evolution and mass transfer in a detrital aquifer, Spain 745–758
Isotopic and geochemical evidence of regional anisotropy and interconnection in an alluvial fan system 1097–1114
Noble gas isotopes in and water/gas chemistry of soda springs on islands along the Cameroon Volcanic Line 323–338
Paleohydrodynamics of fluids in the Brent Group, North Sea 609–632
 ^{34}S and ^{18}O of SO_4 in aquifers of Murray Basin, Australia 475–488
Temporal variation of NO_3 in a schist aquifer 583–596

Major Classification Index of Articles

Radioactive waste disposal

- Adsorption of radioelements on mixtures of minerals 85–93
- French SON 68 nuclear glass alteration on contact with clay 861–881
- Kinetics of montmorillonite dissolution in granitic solutions 397–407
- Ti(IV) hydrolysis constants derived from rutile 1115–1128

Thermal water

- Geochemistry of thermal springs, Alhama de Granada, Spain 1153–1163
- Hydrogeochemistry and stable isotopes of thermal springs related to seismicity, Sicily 1–17

Weathering

- Implantation of recoiling radionuclides of U and Th radioactive series to estimate erosion of CaCO_3 849–859
- Influence of mineralogy on weathering rates in an acid sensitive granitic catchment 931–937

GENERAL GEOCHEMISTRY

- CO_2 gas pools in Jiyang sag, China 1033–1039
- Comparison of sterols in shelf and slope sediments off NW Taiwan 95–108
- Estimates of CO_2 output from Pantelleria, Sicily: evidence of mantle degassing 883–894
- Hydrothermal alteration of hemi-pelagic sediments, processes in shallow subduction zones 1055–1066
- Thermodynamics of ice polymorphs and 'ice-like' water in hydrates and hydroxides 161–181

MINERAL RESOURCES

- Recovery of trace metals in formation waters by acid gases from natural gas 1481–1497
- REE and Pt group elements in relation to metal zoning in the Kupferschiefer 375–386

Exploration

- Factorial kriging with external drift: a case study in Portugal 921–929
- Multi-element relationships in stream sediments mineral exploration: a case study 339–350

MODELLING

- Modelling impacts of acidic groundwater and evaporate sulphates on Boulder Creek, Iron Mountain, Colorado 947–961

REVIEWS

- Biogeochemistry of landfill leachate plumes 659–718
- Organotin compounds in the environment 719–743

OTHER TOPICS

Book Reviews

Introduction to ground water geochemistry 1285-1286
Santorini volcano, geological society memoir 19 1286-1287
Soil resources and the environment 1001

Preface

1289

SUBJECT INDEX

Acid-base accounting 1631

Acidification

effect on low base containing sediments 271

of soil 931

Acid mine drainage 503, 803, 1041, 1369, 1387, 1465, 1641, 1663

particulates in 1663

precipitates 1387, 1465

Acid rock drainage

impact on water quality 947

prediction of 1631

Acid sulphate soils, effect on water quality 387

Acid volatile sulfide, in lake sediment 781

Ag

behaviour during alteration of hemi-pelagic sediments 1055

in atmospheric particles 207

in formation water 1481

in furnace dust 207

in groundwater 489

in house dust 207

in Kupferschiefer 375

in lichen 245

in moss 245, 759

in nuclear glass 861

in river and stream sediment 1455

in smelter waste 207

in soil 207, 759, 963

in vascular plants 245

release from mine waste 1215

Al

aqueous species in soil solution 513

behaviour during alteration of hemi-pelagic sediments 1055

in aerosols 409

in atmospheric dust 409

in coal 911

in coal ash 911

in coal mine drainage 1041, 1387, 1641

in formation water 609, 1083

in groundwater 1567, 1653

in marine sediment 19

in moss 137, 759

in nuclear glass 861

in precipitates from coal mine drainage 1041, 1387

in pristine river sediment 1139

in reservoir water 1567

in river and stream sediment 339, 1251, 1323, 1455

in river and stream water 387, 437, 947, 1041, 1261, 1567, 1663

in sediments affected by acidification 271

in smelter slag 1567

in soil 123, 759, 963, 1003, 1165, 1413, 1621, 1693

- in stream particulates 1663
- in stream precipitates 947
- in suspended sediment 437
- in thermal water 1153
- in till 123
- release from mine waste 1215
- uptake by tea plant 1413
- Al₁₃ polycation
 - in soil water 513
 - in surface water 513
- Alban Hills, Italy 57
- Alberta Basin, Canada 1481
- Alhama de Granada, Spain 1153
- Almeria, Spain 397
- Am, adsorption 85
- Anatolia, Turkey 835
- Anhui Province, China 1413
- Ankara, Turkey 911
- Annabon Island, Cameroon 323
- Ar, in natural gas 419
- ³⁶Ar
 - in groundwater 291
 - in soda spring gases 323
- ³⁸Ar
 - in groundwater 291
 - in soda spring gases 323
- ⁴⁰Ar
 - in groundwater 291
 - in soda spring gases 323
- Arctic, European 19, 759, 963
- Arctic Ocean 19
- Arsenosis, endemic 1353
- As
 - adsorption
 - in soils 571
 - on Al₂O₃ 793
 - behaviour during alteration of hemi-pelagic sediments 1055
 - contamination, at industrial site 571
 - human health problems of 1353
 - in coal 911, 1353
 - in coal ash 911
 - in formation water 1481
 - in groundwater 1567
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 245, 759
 - in pyrite 489, 803, 1353
 - in river and stream sediment 339, 1323
 - in river and stream water 387, 437, 947, 1567
 - in smelter slag 1567

- in soil 571, 759, 963 .
 - in suspended sediment 437
 - in vascular plants 245
 - leaching from soils 571
 - release from mine waste 1215
 - removal from contaminated water 1241
- Äspö, Sweden 291
- Atlantic Ocean 35
- Au
 - in coal 1353
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in pyrite 1353
 - in soil 207, 963
 - in vascular plants 245
 - mining, Hg contamination from 1677
- Australia 451
 - Lake Alexandrina, South Australia 73
 - Murray River 73, 475
 - Victoria 475
- B
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coffee beans 317
 - in formation water 609, 1083, 1481
 - in groundwater 489, 821
 - in moss 137
 - in nuclear glass 861
 - in rainwater 821
 - in soil 963
 - in spring water 1595
 - in thermal water 1153, 1595
- ¹¹B
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coffee beans 317
 - in groundwater 821
 - in rainwater 821
- Ba
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in aquifer rocks 109
 - in atmospheric particles 207
 - in brine 35
 - in coal 911
 - in coal ash 911
 - in formation water 609, 1083, 1481
 - in furnace dust 207
 - in groundwater 109, 489, 1567
 - in house dust 207
 - in lichen 245
 - in moss 137, 245, 759

Subject Index

- in nuclear glass 861
- in reservoir water 1567
- in river and stream sediment 339, 1251, 1323, 1455
- in river and stream water 437, 1041
- in smelter slag 207, 1567
- in soil 207, 759, 963, 1621
- in suspended sediment 437
- in vascular plants 245
- release from mine waste 1215
- Background, pristine 1139
- Baltic Sea 291
- Barents Sea 137, 759, 963
- Bauxite, processing 197
- Baza basin, Spain 745
- Be
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal mine drainage 1641
 - in lichen 245
 - in moss 245
 - in river and stream sediment 1455
 - in river and stream water 437
 - in soil 963
 - in vascular plants 245
- Belice Fault, Sicily 1
- Berkshire, England 821
- Betic Alps, Spain 745, 1179
- Bi
 - in atmospheric particles 207
 - in coal 911
 - in coal ash 911
 - in furnace dust 207
 - in house dust 207
 - in moss 759
 - in river and stream sediment 1251
 - in smelter slag 207
 - in soil 207, 759, 963
- Bioko Island, Cameroon 323
- Biomarkers, from biomass burning
 - coniferous trees 1513
 - deciduous trees 1545
- Biomass burning
 - biomarkers 1513, 1545
 - organic compounds released 1513, 1545
- Bohai Bay Basin, China 1033
- Bolivia, Cochabamba Valley 1097
- Book Review
 - Introduction to ground water geochemistry 1285
 - Santorini volcano 1286
 - Soil resources and the environment 1001
- Botany Pond, Cumbria, England 651
- Boulder Creek, California 947

Br

- behaviour during alteration of hemi-pelagic sediments 1055
- in brine 35
- in formation water 609, 1083, 1481
- in groundwater 489, 1097
- in lichen 245
- in moss 245
- in soil 963
- in spring water 1
- in thermal water 1
- in vascular plants 245

Brazil 317

- Rio de Janeiro State 1139

Brine, origin of in groundwater 35

Butyltin compounds 719

C

- in anoxic sediment 363
- in groundwater 849, 1653
- in Kupferschiefer 375
- in lake sediment 73, 781
- in landfill leachate 659
- in pristine river sediment 1139
- in river and stream water 387, 437, 1139, 1261
- in soil 1003, 1165, 1707
- in suspended sediment 437

¹³C

- in anoxic sediment 363
- in chlorinated hydrocarbons 1021
- in CO₂ gas pools 1033
- in coal 895
- in coalbed gas 895
- in geothermal fluids 1595
- in groundwater 849
- in hydrocarbons 419
- in lake sediment 73
- in natural gas 419
- in river sediment 197
- in rocks 197
- in soda spring gases 323
- in spring water 1, 323
- in thermal water 1, 1153
- in volcanic gas 883

¹⁴C

- dating of groundwater 849
- dating of lake sediment 1201
- in geothermal fluids 1595
- in thermal water 1153

Ca

- behaviour during alteration of hemi-pelagic sediments 1055
- in aerosols 409

Subject Index

- in aquifer rocks 109
- in atmospheric dust 409
- in brine 35
- in coal 911
- in coal ash 911
- in coal mine drainage 1041, 1387, 1641
- in formation water 609, 1083, 1481
- in groundwater 109, 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
- in lake sediment 781
- in landfill leachate 659
- in lichen 245
- in marine sediment 19
- in moss 137, 245, 759
- in nuclear glass 861
- in oilfield waters 1269
- in precipitates from coal mine drainage 1041
- in river and stream sediment 339, 1251, 1323, 1455
- in river and stream water 197, 437, 931, 947, 1041, 1261, 1567, 1663
- in sediments affected by acidification 271
- in smelter slag 1567
- in soil 123, 759, 963, 1165, 1193, 1621, 1693
- in spring water 1, 323, 633, 1179
- in stream particulates 1663
- in suspended sediment 437
- in thermal water 1
- in till 123
- in vascular plants 245
- release from mine waste 1215
- Calcite, erosion of 835
- California, U.S.A. 281, 947, 1513, 1567, 1677
- Cameroon
 - Annabon Island 323
 - Bioko Island 323
 - Mount Cameroon 323
 - São Tomé Island 323
- Cameroon Volcanic Line 323
- Canada 803
 - Alberta Basin 1481
 - Maritimes Basin 35
 - Nova Scotia 35
 - Nunavut 245
 - Saskatchewan 1215
- Carson River Basin, Nevada, U.S.A. 281
- Castellammare-Alcamo geothermal system, Sicily 1
- Cd
 - adsorption on MnO₂ 1067
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in atmospheric particles 207
 - in coal mine drainage 1641
 - in floodplains 1707
 - in furnace dust 207

in groundwater 489, 1567
 in house dust 207
 in lake sediment 781
 in landfill leachate 659
 in lichen 245
 in marine sediment 19
 in moss 245, 759
 in nuclear glass 861
 in reservoir water 1567
 in river and stream sediment 1377, 1455
 in river and stream water 387, 947, 1041, 1369, 1377, 1567
 in smelter slag 207, 1567
 in soil 207, 571, 759, 963, 1165, 1361, 1369, 1377, 1387, 1405, 1693, 1707
 in suspended sediment 781
 in tailings 1369, 1377
 in vascular plants 245, 1377
 release from mine waste 1215
 removal from contaminated water 1241

Ce

behaviour during alteration of hemi-pelagic sediments 1055
 in basalt 351
 in coal 911
 in coal ash 911
 in coal mine drainage 1465
 in evaporites 351
 in Kupferschiefer 375
 in lichen 245
 in moss 245
 in nuclear glass 861
 in ochre 1465
 in river and stream sediment 1251
 in river and stream water 437
 in soil 963
 in standard water 231
 in suspended sediment 437
 in vascular plants 245
 release from mine waste 1215

Celebes 317

CH₄

in CO₂ gas pools 1033
 in coalbed gas 895
 in fluid inclusions from igneous rocks 1033
 in landfill leachate 659
 in natural gas 419
 in soda spring gases 323
 in spring water 1
 in thermal water 1

C₂H₆, in coalbed gas 895

C₂H₈, in coalbed gas 895

C₄H₁₀ + C₅H₁₂, in coalbed gas 895

China 1309, 1353, 1397

Subject Index

- Anhui Province 1413
- Bohai Bay basin 1033
- Dali, Guandong Province 409
- Enshi District, Hubei Province 1333
- Erhai Lake, Yunnan Province 1201
- Foshan, Guandong Province 409
- Guangzhou 409, 1447
- Guizhou Province 1353
- Hong Kong 1361
- Jiangsu Province 1413
- Macau 1447
- Nanghai 1447
- Pearl River 409, 1251, 1429, 1447
- Tarim Basin 1269
- Xinzhou Prefecture, Shanxi Province 531
- Zhejiang Province 1413
- Chlorinated hydrocarbons, isotopic composition of 1021
- Choongchung Province, Korea 1369
- Chungnam coal mine, Korea 1455
- Cl
 - in brine 35
 - in coal mine drainage 1641
 - in formation water 609, 1083, 1481
 - in groundwater 291, 475, 489, 583, 745, 821, 985, 1097, 1179, 1231, 1567, 1653
 - in landfill leachate 659
 - in rain 985
 - in river and stream water 437, 583, 1041, 1369, 1567
 - in soil 1165
 - in spring water 1, 323, 633, 1179, 1595
 - in suspended sediment 437
 - in thermal water 1, 1153, 1595
- ³⁶Cl, in groundwater 291
- ³⁷Cl
 - in chlorinated hydrocarbons 1021
 - in salt 1021
- Clear Lake, California, U.S.A. 281
- Cluff Lake U mine, Saskatchewan, Canada 1215
- Co
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal 911
 - in coal ash 911
 - in floodplains 1707
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 245, 759
 - in nuclear glass 861
 - in river and stream sediment 339, 1251, 1323, 1387, 1455
 - in river and stream water 387, 437, 1041
 - in soil 123, 759, 963, 1323, 1387, 1707
 - in suspended sediment 437

- in till 123
 - in vascular plants 245
 - release from mine waste 1215
- ⁵⁷Co, sorption on lake sediments 651
- CO
 - in spring water 1
 - in thermal water 1
- CO₂
 - gas pools 1033
 - in coalbed gas 895
 - in fluid inclusions from igneous rocks 1033
 - in groundwater 883, 1129
 - in natural gas 419
 - in soda spring gases 323
 - in soil gas 883
 - in spring water 1
 - in thermal water 1
 - in volcanic gas 57, 883
 - mantle derived 1033
- CO₃
 - in spring water 1
 - in thermal water 1
- Coal
 - geochemistry 911
 - high arsenic 1353
- mine water 1041, 1387, 1465, 1641
 - brine 35
 - mineralogy 911
- Coalbed gases
 - composition 895
 - origin 895
- Cochabamba Valley, Bolivia 1097
- Coët-Dan catchment, Brittany, France 583
- Coffea arabica*, ¹¹B in 317
- Colorado, U.S.A. 1663
- Columbia 317
- Cordoba, Spain 1179
- Costa Rica 317
- Cr
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal mine drainage 1041, 1641
 - in coastal sediment 541
 - in floodplains 1707
 - in formation water 1481
 - in furnace dust 207
 - in landfill leachate 659⁴
 - in lichen 245
 - in marine sediment 19
 - in moss 245
 - in nuclear glass 861
 - in pristine river sediment 1139

Subject Index

in river and stream sediment 339, 1251, 1323, 1387, 1455
in river and stream water 387, 437, 1041
in smelter dust 207
in smelter slag 1567
in soil 123, 571, 963, 1387, 1405, 1621, 1707
in suspended sediment 437
in till 123
in vascular plants 245
release from mine waste 1215
removal from contaminated water 1241

Cs

adsorption 85
behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in moss 245
in nuclear glass 861
in river and stream sediment 1251
in river and stream water 387, 437
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215

¹³⁴Cs, sorption on lake sediments 651

¹³⁷Cs, in lake sediment 73

Cu

adsorption by Fe oxyhydroxides 503
adsorption by MnO₂ 1067
behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 207, 409
in coal 911
in coal ash 911
in coastal sediment 541
in floodplains 1309, 1707
in formation water 1481
in furnace dust 207
in gossan 947
in groundwater 1567
in Kupferschiefer 375
in lake sediment 781
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 245, 759
in pristine river sediment 1139
in pyrite 803, 1353
in reservoir water 1567
in river and stream sediment 339, 1251, 1309, 1323, 1377, 1387, 1455
in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567, 1663

- in smelter dust 207
 - in smelter slag 1567
 - in soil 123, 207, 571, 759, 963, 1361, 1369, 1377, 1387, 1405, 1621, 1707
 - in stream particulates 1663
 - in stream precipitates 947
 - in suspended sediment 437, 781
 - in tailings 1369, 1377
 - in till 123
 - in vascular plants 245, 1377
 - release from mine waste 1215
- Cumbria, England 651
- Cyclic voltammetry, to assess sulphide mineral reactivity 803, 1631
- Czech Republic 437
 - Krušné Mountains 271
- Daduk mine, Korea 1377
- Dali, Guangdong Province, China 409
- Denmark, Esbjerg 1129
- Diagenesis 363
- Defluoridation of drinking water 531
- Derbyshire, England 1693
- Didcot, Berkshire, England 821
- Duoro River, Portugal 921
- Durham County, England 1465
- Dy
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - in vascular plants 245
 - release from mine waste 1215
- Elvan Water, Southern Uplands, Scotland 597
- Energy dispersive X-ray, to determine spatial chemistry 1165
- England 1261, 1291
 - Berkshire 821
 - County Durham 1465
 - Cumbria 651
 - Essex 1621
 - Isle of Wight 821
 - London Basin 821
 - Surrey 821
 - Weald Basin 821
- Enshi District, Hubai, China 1333

Er

- in basalt 351
- in coal 911
- in coal ash 911
- in coal mine drainage 1465
- in evaporites 351
- in Kupferschiefer 375
- in lichen 245
- in moss 245
- in ochre 1465
- in river and stream sediment 1251
- in standard water 231
- in vascular plants 245
- release from mine waste 1215

Erhai Lake, Yunnan Province, China 1201

Esbjerg, Denmark 1129

Essex, England 1621

Esthwaite Water, Cumbria, England 651

Ethiopia 317

Eu

- behaviour during alteration of hemi-pelagic sediments 1055
- in basalt 351
- in coal 911
- in coal ash 911
- in coal mine drainage 1465
- in evaporites 351
- in Kupferschiefer 375
- in lichen 245
- in moss 245
- in ochre 1465
- in river and stream sediment 1251
- in soil 963
- in standard water 231
- in suspended sediment 437
- in vascular plants 245
- release from mine waste 1215

Euglena mutabilis, in coal mine drainage 1641

European Arctic 19, 759, 963

Evaporative evolution, of groundwater 1231

Evaporites, Zechstein 351

Everglades, Florida 1499

F

- effect on health 531
- in formation water 1083
- in groundwater 745, 985, 1097, 1231, 1481, 1653
- in rain 985
- in river and stream water 437, 1369
- in spring water 1, 633
- in thermal water 1
- sorption from drinking water 531

Fe

- behaviour during alteration of hemi-pelagic sediments 1055
- biotic precipitation of 1129
- in aerosols 409
- in atmospheric dust 409
- in brine 35
- in coal 911, 1353
- in coal ash 911
- in coal mine drainage 1041, 1387, 1641
- in coastal sediment 541
- in formation water 1083, 1481
- in furnace dust 207
- in groundwater 821, 1097, 1129, 1567, 1653
- in lake sediment 73, 781, 1201
- in landfill leachate 659
- in lichen 245
- in marine sediment 19
- in metal mine drainage 1663
- in moss 245, 759
- in nuclear glass 861
- in precipitates from coal mine drainage 1041, 1387
- in pristine river sediment 1139
- in pyrite 821
- in reservoir water 1567
- in river and stream sediment 339, 1251, 1323, 1387, 1455
- in river and stream water 387, 437, 947, 1041, 1261, 1567, 1663
- in smelter dust 207
- in smelter slag 1567
- in soil 123, 207, 759, 963, 1003, 1165, 1621, 1693, 1707
- in stream particulates 1663
- in stream precipitates 947
- in suspended sediment 437
- in tailings leachate 1631
- in till 123
- in vascular plants 245
- release from mine waste 1215
- species in lake sediment, redox environment shifts 1201
- Finland 123, 137, 759, 963
 - Munsala stream 387
- Fláje Basin, Krušné Mountains, Czech Republic 271
- Florida, U.S.A. 1499
- Fluorosis, endemic 531
- Fluid inclusions, oil bearing 451
- Formation water
 - brine 35
 - contamination of by drilling fluids 1083
 - from Oseberg Field, Norwegian North Sea 609
 - recovery of metals from 1481
- Foshan, Guangdong Province, China 409
- France 513, 1611
 - Brittany 583

- Gard district 1083
- Lille 1165
- Paris Basin 1083
- Vienne district 1083
- Fulvic acid, extraction from waters 1261
- Ga
 - in coal 911
 - in coal ash 911
 - in lichen 245
 - in moss 245
 - in river and stream sediment 339, 1251
 - in river and stream water 437
 - in vascular plants 245
- Gallionella ferruginea*, precipitation of Fe by 1129
- Gangreung coal field, Korea 1041, 1387
- Gard district, France 1083
- Gd
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - in vascular plants 245
 - release from mine waste 1215
- Ge
 - in coal 911
 - in coal ash 911
- Geochemical baseline, global project 1291, 1309
- Geochemical exploration 339, 963
 - use of factorial kriging in 921
- Geochemical mapping 137, 759, 963, 1291, 1309, 1323, 1455
 - International project 1309
- Geochemical provinces 963
- Geochemistry and health 1291
 - endemic arsenosis 1353
 - endemic fluorosis 531
 - Se and human health 1333, 1345
- Geothermal fluids, origin of 1595
- Germany 351, 1003
 - The River Rhine 1707
- GIS, application in environmental contamination 1455
- Glengonnar Water, Southern Uplands, Scotland 597
- Gossan 947
- Gottard Exploration Tunnel 633

- Gottard Highway Tunnel 633
- Green rust mineral in soil
 - redox reactions of 559
 - structure of 559
- Green Valley coal mine, Indiana 1641
- Groundwater 109, 183, 475, 821, 947
 - acidic 947, 1567
 - alluvial fan 1097
 - contamination by agriculture 583
 - by mining 489
 - with pesticides 1129
 - dating 291, 849
 - detrital aquifer 745
 - evolution of 291
 - evaporative 1231
 - karstic 1179
 - modelling 633, 758
 - residence time 291, 475
 - source of SO₄ in 475
 - thermal 1153
 - evolution of 1595
- Guangdong Province, China 409
- Guangzhou, China 40, 1447
- Guatemala 317
- Guildford, Surrey, England 821
- Guizhou Province, China 1353
- Gulf of Trieste, Italy/Slovenia 541

H₂

- in coalbed gas 895
- in soda spring gases 323
- in spring water 1, 323
- in thermal water 1

²H

- in brine 35
- in coalbed gas 895
- in formation water 609
- in groundwater 291, 489, 849, 1097
- in hydrocarbons 419
- in natural gas 419
- in oilfield water 1269
- in spring water 1, 633, 1595
- in thermal water 1, 1595

³H

- in groundwater 291, 849, 1097
- in spring water 1595
- in thermal water 1153, 1595

Hawaii, U.S.A. 317

HCO₃

- in brine 35
- in coal mine drainage 1641

- Gard district 1083
- Lille 1165
- Paris Basin 1083
- Vienne district 1083
- Fulvic acid, extraction from waters 1261
- Ga
 - in coal 911
 - in coal ash 911
 - in lichen 245
 - in moss 245
 - in river and stream sediment 339, 1251
 - in river and stream water 437
 - in vascular plants 245
- Gallionella ferruginea*, precipitation of Fe by 1129
- Gangreung coal field, Korea 1041, 1387
- Gard district, France 1083
- Gd
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - in vascular plants 245
 - release from mine waste 1215
- Ge
 - in coal 911
 - in coal ash 911
- Geochemical baseline, global project 1291, 1309
- Geochemical exploration 339, 963
 - use of factorial kriging in 921
- Geochemical mapping 137, 759, 963, 1291, 1309, 1323, 1455
 - International project 1309
- Geochemical provinces 963
- Geochemistry and health 1291
 - endemic arsenosis 1353
 - endemic fluorosis 531
 - Se and human health 1333, 1345
- Geothermal fluids, origin of 1595
- Germany 351, 1003
 - The River Rhine 1707
- GIS, application in environmental contamination 1455
- Glengonnar Water, Southern Uplands, Scotland 597
- Gossan 947
- Gottard Exploration Tunnel 633

- Gottard Highway Tunnel 633
- Green rust mineral in soil
 - redox reactions of 559
 - structure of 559
- Green Valley coal mine, Indiana 1641
- Groundwater 109, 183, 475, 821, 947
 - acidic 947, 1567
 - alluvial fan 1097
 - contamination by agriculture 583
 - by mining 489
 - with pesticides 1129
 - dating 291, 849
 - detrital aquifer 745
 - evolution of 291
 - evaporative 1231
 - karstic 1179
 - modelling 633, 758
 - residence time 291, 475
 - source of SO₄ in 475
 - thermal 1153
 - evolution of 1595
- Guangdong Province, China 409
- Guangzhou, China 40, 1447
- Guatemala 317
- Guildford, Surrey, England 821
- Guizhou Province, China 1353
- Gulf of Trieste, Italy/Slovenia 541

H₂

- in coalbed gas 895
- in soda spring gases 323
- in spring water 1, 323
- in thermal water 1

²H

- in brine 35
- in coalbed gas 895
- in formation water 609
- in groundwater 291, 489, 849, 1097
- in hydrocarbons 419
- in natural gas 419
- in oilfield water 1269
- in spring water 1, 633, 1595
- in thermal water 1, 1595

³H

- in groundwater 291, 849, 1097
- in spring water 1595
- in thermal water 1153, 1595

Hawaii, U.S.A. 317

HCO₃

- in brine 35
- in coal mine drainage 1641

- in formation water 1083, 1481
- in groundwater 745, 821, 1097, 1129, 1231, 1653
- in landfill leachate 659
- in river and stream water 1369
- in spring water 1, 323, 633
- in thermal water 1, 1153
- He
 - in coalbed gas 895
 - in groundwater 291
 - in soda spring gases 323
 - in spring water 1
 - in thermal gas 1
- ³He
 - in CO₂ gas pools 1033
 - in groundwater 291
 - in natural gas 419
 - in soda spring gases 323
 - in volcanic gas 883
- ⁴He, dating of groundwater 291
- Hf
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in lichen 245
 - in moss 245
 - in soil 963
 - in stream sediment 339
 - in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Hg
 - contamination in old mining areas 281, 541, 1499, 1677
 - determination of, on-site 281
 - in coal 1353
 - in coastal sediment 541
 - in floodplains 1309
 - in groundwater 489
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 245
 - in pyrite 1353
 - in river and stream sediment 1677
 - in river and stream water 1677
 - in soil 207, 963
 - in vascular plants 245
 - sinks 1499
- HgCH₃⁻
 - in river and stream sediment 1677
 - in river and stream water 1677
- Ho
 - in basalt 351
 - in coal 911

- in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - release from mine waste 1215
- Hong Kong 1361
- H₂S
 - in fluid inclusions from igneous rocks 1033
 - in formation water 1481
 - in groundwater 1097
 - in natural gas 1481
 - in volcanic gas 57
- Hubei Province, China 1355
- Humic acid, extraction from waters 1261
- Hydration equilibrium, variation with temperature and humidity 161
- Hydrothermal alteration of sediments from subduction zone, laboratory study 1055
- I, in formation water 1481
- Idrija mining district, Slovenia 541
- Iglesias mining district, Sardinia, Italy 489
- Ilha Grande, Rio de Janeiro State, Brazil 1139
- Imgok Creek, Korea 1041
- In
 - in atmospheric particles 207
 - in furnace dust 207
 - in house dust 207
 - in lichen 245
 - in moss 245
 - in smelter waste 207
 - in soil 207
 - in vascular plants 245
- Indiana, U.S.A. 1641
- Indonesia, Java 317
- Ir
 - in Kupferschiefer 375
 - in soil 963
- Iron Mountain, California 847
- Isle of Wight, England 821
- Isonzo River, Slovenia/Italy 541
- Isotopes
 - Ar 291, 323
 - B 317, 821, 1055
 - Be 1055
 - C 1, 73, 197, 323, 363, 419, 849, 883, 895, 1021, 1033, 1153, 1595
 - Cl 291, 1021
 - Co 651
 - Cs 73, 651
 - H 1, 35, 291, 323, 419, 489, 609, 633, 849, 895, 1097, 1153, 1269, 1595
 - He 291, 323, 419, 883, 1033

Subject Index

Li 1055
N 73
Nd 351
Ne 323
O 1, 35, 197, 291, 323, 475, 489, 609, 633, 849, 1055, 1097, 1153, 1269, 1595
Pb 73, 409, 835
Po 835
Ra 109, 835
Rn 855
Ru 651
S 35, 475, 633, 1003
Sr 35, 351, 651, 931, 1055, 1269, 1653
Th 57
U 57, 109

Italy

Alban Hills 57
Gulf of Trieste 541
Iglesias mining district, Sardinia 489
Sicily 1
 Mount Etna 985
 Pantelleria Island 883

Jamaica

Kingston 197
Rio Cobre 197

Japan

Nankai Trough 1055
Tono 849

Java, Indonesia 317

Jiangsu Province, China 1413

Jiyang sag, Bohai Bay basin, China 1033

K

behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 409
in brine 35
in coal 911
in coal ash 911
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
in landfill leachate 659
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in precipitates from coal mine drainage 1041
in river and stream sediment 339, 1251, 1323, 1455
in river and stream water 437, 931, 947, 1041, 1567
in sediments affected by acidification 271

- in smelter slag 1567
 - in soil 123, 759, 963, 1165, 1621
 - in spring water 1, 323, 633
 - in suspended sediment 437
 - in thermal water 1, 1153
 - in till 123
 - in vascular plants 245
- Kansas, U.S.A. 109
- Kara Sea, Arctic Ocean 19
- Karstic groundwater, chemistry of 1179
- Kaschin-Beck Disease 1345
- Keshan Disease 1345
- Kingston, Jamaica 197
- Kola Peninsula, Russia 19, 137, 759, 963
- Korea
 - Choongchung Province 1369
 - Chungnam coal mine 1455
 - Daduk mine 1377
 - Gangreung coal field 1041, 1387
 - Imgok Creek 1041
- Kr, in soda spring gases 323
- Krušne Mountains, Czech Republic 271
- Kupferschiefer 375
- La
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in atmospheric particles 207
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 137, 245
 - in nuclear glass 861
 - in ochre 1465
 - in river and stream sediment 1251, 1323
 - in river and stream water 437
 - in soil 963
 - in standard water 231
 - in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Lake Alexandrina, South Australia 73
- Lake Ketel, The Netherlands 781
- Landfill leachate
 - chemistry of 659
 - microbes in 659
 - redox processes in 659
- Leadhills, Southern Uplands, Scotland 597

Li

- behaviour during alteration of hemi-pelagic sediments 1055
- in coal 911
- in coal ash 911
- in formation water 609, 1083, 1481
- in groundwater 489
- in nuclear glass 861
- in river and stream sediment 1251, 1455
- in river and stream water 437
- in soil 963, 1621
- in spring water 1, 633
- in thermal water 1

^6Li , behaviour during alteration of hemi-pelagic sediments 1055

Lille, France 1165

Lipids, in shelf sediments 95

Loading capacity, heavy metals in soil 1397

London Basin, England 821

Los Aufres geothermal field, Mexico 1595

Lu

- behaviour during alteration of hemi-pelagic sediments 1055
- in basalt 351
- in coal 911
- in coal ash 911
- in coal mine drainage 1465
- in evaporites 351
- in Kupferschiefer 375
- in lichen 245
- in moss 245
- in ochre 1465
- in river and stream sediment 1251
- in soil 963
- in standard water 231
- in vascular plants 245
- release from mine waste 1215

Lubin mining district, Poland 375

Macau, China 1447

Mantle degassing 883

Maritimes Basin, Canada 35

Mediterranean Sea 541, 883

Metacinnabar, dissolution 1499

Metallogenic provinces 963

Mexico 317, 803, 1631

Los Aufres geothermal field 1595

Mg

- behaviour during alteration of hemi-pelagic sediments 1055
- in aerosols 409
- in aquifer rocks 109
- in atmospheric dust 409
- in brine 35
- in coal 911

- in coal ash 911
- in coal mine drainage 1387, 1641
- in formation water 609, 1083, 1481
- in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
- in landfill leachate 659
- in marine sediment 19
- in moss 137, 759
- in nuclear glass 861
- in precipitates from coal mine drainage 1041
- in river and stream sediment 339, 1251, 1323, 1455
- in river and stream water 1, 197, 387, 931, 947, 1041, 1567
- in sediments affected by acidification 271
- in smelter slag 1567
- in soil 123, 759, 963, 1621
- in spring water 323, 633, 1179
- in stream particulates 1663
- in thermal water 1, 1153
- in till 123
- Mine closure, effect on groundwater 489
- Mineralisation
 - Apatite 963
 - Au 963, 1677
 - Au-Ag 1369
 - Au-Ag-Pb-Zn 1377
 - Cu 375
 - Cu-Zn 1567
 - Fe 963
 - Hg 541, 1677
 - Nb-Ta-Zr 963
 - Ni-Cu-PGE 963
 - Pb-Zn 489
 - Pt-Pd 1309
 - Ti-Fe-P 963
 - U 1215
 - V-Ti 1309
- Mining, environmental contamination from 541, 597, 1193, 1369, 1377, 1693
- Missouri, U.S.A. 109
- Mn
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1041, 1387, 1641
 - in coastal sediment 541
 - in formation water 1083, 1481
 - in furnace dust 207
 - in groundwater 489, 1129, 1567, 1653
 - in lake sediment 781, 1201
 - in landfill leachate 659
 - in marine sediment 19
 - in moss 137, 759
 - in nuclear glass 861

Subject Index

- in precipitates from coal mine drainage 1041
- in pristine river sediment 1139
- in river and stream sediment 339, 1251, 1323, 1455
- in river and stream water 387, 437, 947, 1041, 1567, 1663
- in smelter dust 207
- in smelter slag 1567
- in soil 123, 207, 571, 759, 963, 1165, 1621, 1693
- in stream particulates 1663
- in suspended sediment 437
- in till 123
- release from mine waste 1215
- MnO₂, adsorption properties 1067
- Mo
 - in coal 911
 - in coal ash 911
 - in lichen 245
 - in moss 245
 - in nuclear glass 861
 - in river and stream sediment 1251
 - in river and stream water 1041
 - in soil 963
 - in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Mobility of elements in surficial environments 1291
- Modelling
 - adsorption, of As in soils 571
 - on Al₂O₃ 793
 - on Fe oxyhydroxides 503
 - on MnO₂ 1067
 - flowpath 633
 - groundwater composition 745
 - leaching of As from soils 571
 - metal release from smelter slag 1567
 - mobility of trace metals in lake sediment 651
 - stream water composition 947
- Monchegorsk, Kola Peninsula, Russia 759
- Montana, U.S.A. 1291
- Monteponi Pb/Zn mine, Sardinia, Italy 489
- Montevago geothermal system, Sicily 1
- Montmorillonite dissolution, effect of pH on 397
- Mount Cameroon, Cameroon 323
- Mount Etna, Sicily 985
- Munsala stream, Finland 387
- Murray River, Australia 73, 475
- N
 - in anoxic sediment 363
 - in lake sediment 73
- ¹⁵N, in lake sediment 73
- N₂

- in CO₂ gas pools 1033
 - in coalbed gas 895
 - in fluid inclusions from igneous rocks 1033
 - in natural gas 419
 - in soda spring gases 323
 - in spring water 1
 - in thermal water 1
- Na
- behaviour during alteration of hemi-pelagic sediments 1055
 - in brine 35
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1641
 - in formation water 609, 1083, 1481
 - in groundwater 291, 489, 745, 821, 1097, 1129, 1231, 1567, 1653
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 137, 245, 759
 - in nuclear glass 861
 - in oilfield waters 1269
 - in precipitates from coal mine drainage 1041
 - in rainwater 821
 - in river and stream sediment 339, 1251, 1455
 - in river and stream water 197, 437, 931, 947, 1041, 1567
 - in sediments affected by acidification 271
 - in smelter slag 1567
 - in soil 123, 759, 963, 1621
 - in spring water 1, 323, 633, 1179
 - in suspended sediment 437
 - in thermal water 1, 1153
 - in till 123
 - in vascular plants 245
- Nanhai, China 1447
- Nankai Trough, Japan 1055
- Nb
- in coal 911
 - in coal ash 911
 - in river and stream sediment 339, 1251
 - release from mine waste 1215
- Nd
- behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in nuclear glass 861

Subject Index

- in ochre 1465
- in river and stream sediment 1251
- in river and stream water 437
- in soil 963
- in standard water 231
- in vascular plants 245
- release from mine waste 1215
- $^{143}\text{Nd}/^{144}\text{Nd}$
 - in basalt 351
 - in evaporites 351
- Ne
 - in groundwater 291
 - in soda spring gases 323
- ^{21}Ne , in soda spring gases 323
- ^{22}Ne , in soda spring gases 323
- Nevada, U.S.A. 281, 1231, 1653
- New Guinea 317
- New Zealand, Taranki Basin 419
- NH_3 , in formation water 1481
- NH_4
 - in formation water 1083
 - in groundwater 745, 1129
 - in landfill leachate 659
- Ni
 - adsorption on MnO_2 1067
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal mine drainage 1641
 - in coastal sediments 541
 - in floodplains 1309, 1707
 - in groundwater 1567
 - in Kupferschiefer 375
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 245, 759
 - in nuclear glass 861
 - in pyrite 803
 - in river and stream sediment 339, 1251, 1309, 1323, 1387, 1455
 - in river and stream water 387, 437, 1041, 1567
 - in smelter slag 1567
 - in soil 123, 571, 759, 963, 1387, 1405, 1621
 - in suspended sediment 437
 - in till 123
 - in vascular plants 245
 - release from mine waste 1215
- Nicaragua 317
- Nikel, Kola Peninsula, Russia 759
- NO_3
 - contamination from agriculture 583
 - in groundwater 583, 745, 821, 985, 1097, 1129, 1231, 1653
 - in landfill leachate 659

- in rain 985
 - in river and stream water 583, 1041, 1369
 - in soil 1405
 - in spring water 1, 633
 - in thermal water 1, 1153
- NO_x, acidification due to deposition of 271
- Nordåsvannet, Norway 363
- North Sea, Norwegian 609
- Norway 137, 759, 963
 - Nordåsvannet 363
- Nova Scotia, Canada 35
- Nuclear waste
 - disposal 351, 397, 1115
 - glass, alteration of 861
- Nunavut, Canada 245
- O₂
 - in groundwater 1129
 - in landfill leachate 659
 - in natural gas 419
 - in spring water 1
 - in thermal water 1
- ¹⁸O
 - in brine 35
 - in calcite 1595
 - in formation water 609
 - in groundwater 291, 475, 489, 849, 1097
 - in oilfield water 1269
 - in river sediment 197
 - in rocks 197
 - in spring water 1, 323, 633, 1595
 - in thermal water 1, 1153, 1595
- Ocean Drilling Program 1055
- Oil
 - fluorescence of 451
 - thermal maturity of 451
- Oklahoma, U.S.A. 109
- Oregon, U.S.A. 1513
- Organic aerosols, from biomass burning
 - coniferous trees 1513
 - deciduous trees 1545
- Organotin compounds 719
- Oseberg Field, Norwegian North Sea 609
- Oxidation of mine waste, kinetic study 1215
- P
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal 911
 - in coal ash 911
 - in groundwater 1129
 - in Kupferschiefer 375

Subject Index

- in lake sediment 73
- in landfill leachate 659
- in marine sediment 19
- in moss 137, 759
- in nuclear glass 861
- in river and stream sediment 339, 1251, 1323, 1455
- in soil 123, 759, 963, 1165, 1693
 - in suspended sediment 437
- in till 123
- release from mine waste 1215
- Palmerton, Pennsylvania, U.S.A. 207
- Pantelleria Island, Sicily 883
- Papuan Basin 451
- Paris Basin, France 1083
- Pb
 - adsorption on MnO₂ 1067
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in aerosols 409
 - in atmospheric dust 207, 409
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1041, 1641
 - in floodplains 1707
 - in formation water 1481
 - in furnace dust 207
 - in groundwater 489, 1567
 - in house dust 207
 - in Kupferschiefer 375
 - in lake sediment 781
 - in landfill leachate 659
 - in lichen 245
 - in marine sediment 19
 - in moss 245, 759
 - in pristine river sediment 1139
 - in pyrite 803
 - in reservoir water 1567
 - in river and stream sediment 597, 1251, 1323, 1377, 1387, 1455
 - in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567
 - in smelter slag 207, 1193, 1567
 - in soil 123, 207, 571, 759, 963, 1165, 1193, 1361, 1369, 1377, 1387, 1397, 1405, 1621, 1693, 1707
 - in suspended sediment 437, 781
 - in tailings 1369, 1377
 - in tailings leachate 1631
 - in till 123
 - in vascular plants 245, 1377
 - mobility as cerussite 597
 - pollution of urban environment 409
 - release from mine waste 1215
- ²⁰⁶Pb
 - in aerosols 409

- in atmospheric dust 409
 - in automobile exhaust 409
 - in granite 409
 - in house dust 207
 - in Pb/Zn deposit 409
 - in smelter waste 207
 - in soil 207, 409
 - in volcanic rocks 409
- ^{207}Pb
 - in aerosols 409
 - in atmospheric dust 409
 - in automobile exhaust 409
 - in granite 409
 - in house dust 207
 - in Pb/Zn deposit 409
 - in smelter waste 207
 - in soil 207, 409
 - in volcanic rocks 409
- ^{208}Pb
 - in aerosols 409
 - in atmospheric dust 409
 - in automobile exhaust 409
 - in granite 409
 - in house dust 207
 - in Pb/Zn deposit 409
 - in smelter waste 207
 - in soil 207, 409
 - in volcanic rocks 409
- ^{210}Pb dating
 - of coastal sediments 541
 - of lake sediment 73
- Pd, in Kupferschiefer 375
- Pearl River, China 409, 1251, 1429, 1447
- Penedono, Portugal 921
- Penn Mine, California 1567
- Pennsylvania, U.S.A. 207
- Peru 317
- Pesitides, in groundwater 1129
- PO_4
 - in formation water 1481
 - in groundwater 1097, 1653
- Poland
 - Lubin mining district 375
 - Silesia 895
- Pollution Index, of soils 1387, 1397
- Polycyclic aromatic hydrocarbons
 - biodegradation 1419, 1611
 - from biomass burning 1513, 1545
 - in floodplains 1707
 - in marine sediment 1429
 - in river sediment 1429

- in river water 1429
 - in soil 1611, 1707
 - solubility 1419
- Portugal 1323
 - Duoro River 921
 - Penedono 921
- Pr
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in lichen 245
 - in moss 245
 - in nuclear glass 861
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - in vascular plants 245
 - release from mine waste 1215
- Preface 1289
- Pristine river sediment, chemistry 1139
- Pt
 - in floodplains 1309
 - in Kupferschiefer 375
- Pyrite
 - formation in anoxic sediments 363
 - reactivity 803
- Ra
 - in aquifer rocks 109
 - in groundwater 109
- ²²⁸Ra
 - in aquifer rocks 109
 - in groundwater 109
- Rb
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in evaporites 351
 - in groundwater 489
 - in lichen 245
 - in moss 137, 245
 - in river and stream sediment 339, 1251
 - in river and stream water 437, 1041
 - in soil 963
 - in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Re, in Kupferschiefer 375

- Review 659, 719
- Rh, in Kupferschiefer 375
- Rhine River, Germany/The Netherlands 781, 1707
- Rio Cobre, Jamaica 197
- Rio de Janeiro State, Brazil 1139
- Risk assessment 571
- Rn, in volcanic gas 57
- Ru, in Kupferschiefer 375
- ⁸⁵Ru, sorption on lake sediments 651
- Russia 137, 759, 963
 - Kola Peninsula 19, 137, 759, 963
 - Siberia 19
 - Ural Mountains 19
- Rutile (TiO₂), solubility 1115
- S
 - in anoxic sediment 363
 - in metal mine drainage 1663
 - in moss 759
 - in precipitates from coal mine drainage 1387
 - in pyrite 803, 1353
 - in smelter slag 1567
 - in soil 123, 759, 963, 1003, 1165
 - in till 123
- S²⁻
 - in groundwater 1097
 - in landfill leachate 659
- ³⁴S
 - in brine 35
 - in groundwater 475
 - in soil 1003
 - in spring water 633
 - in thermal water
- Sacramento River Basin, California 1677
- San Francisco Bay, California 1677
- São Tomé Island, Cameroon 323
- Sardinia, Italy 489
- Saskatchewan, Canada 1215
- Sb
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in atmospheric particles 207
 - in coal 1353
 - in furnace dust 207
 - in groundwater 1567
 - in lichen 245
 - in marine sediment 19
 - in moss 245
 - in nuclear glass 861
 - in pyrite 1353
 - in river and stream water 387, 437, 1567
 - in smelter slag 207, 1567

in soil 207, 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215

Sc

behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in moss 245
in river and stream sediment 1251
in river and stream water 437
in soil 963
in suspended sediment 437
in vascular plants 245
release from mine waste 1215

Sciaccia geothermal system, Sicily 1

Scotland, Southern Uplands 597

Se

adsorption 85
human deficiency diseases 1345
human toxicity diseases 1333, 1345
in formation water 1481
in furnace dust 207
in lichen 245
in marine sediment 19
in moss 245
in river and stream water 387
in smelter waste 207
in soil 207, 963, 1333, 1345
in vascular plants 245, 1333, 1345
in water 1345
release from mine waste 1215

Sea water-soil interaction 1621

Sediment transport 781

Selenosis 1333

Sewage sludge, effect of application to soil 1405

Shanxi Province, China 531

Si

behaviour during alteration of hemi-pelagic sediments 1055
in aerosols 409
in atmospheric dust 409
in cereals 1345
in coal 911
in coal ash 911
in coal mine drainage 1641
in formation water 609, 1083, 1481
in groundwater 745, 1097, 1567, 1653
in landfill leachate 659
in moss 137, 759
in nuclear glass 861

Subject Index

- in precipitates from coal mine drainage 1041
- in reservoir water 1567
- in river and stream water 437, 947, 1041, 1261, 1567
- in sediments affected by acidification 271
- in smelter slag 1567
- in soil 759, 963, 1165
- in spring water 1
- in stream particulates 1663
- in stream sediment 339
- in suspended sediment 437
- in thermal water 1, 1153
- organo-, in atmosphere 1447
- Siberia, Russia 19
- Sicily, Italy 1, 883, 985
- Sierra Nevada, California 1567
- Silesia, Poland 895
- Slag, smelter, release of metals from, on weathering 1193
- Slovenia, Gulf of Trieste 541
- Sm
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in lichen 245
 - in moss 245
 - in ochre 1465
 - in river and stream sediment 1251
 - in river and stream water 437
 - in soil 963
- in standard water 231
 - in suspended sediment 437
- in vascular plants 245
- release from mine waste 1215
- Smelter slag, contamination of reservoir water 1567
- Smelting, environmental contamination from 1165, 1193, 1693
- Sn
 - butyl-
 - in algae 719
 - in fish 719
 - in freshwater 719
 - in harbour sediments 719
 - in mammals 719
 - in mussels 719
 - in seawater 719
 - in sediment 719
 - in sewage sludge 719
 - in nuclear glass 861
 - in pyrite 1353
 - in river and stream sediment 921, 1251
 - organo- in environment 719

Subject Index

- industrial uses of 719
- toxicity of 719
- release from mine waste 1215
- SO₂
 - acidification due to deposition of 271
 - in fluid inclusions from igneous rocks 1033
- SO₃
 - in aerosols 409
 - in atmospheric dust 409
- SO₄
 - deposition on soils 1003
 - in brine 35
 - in coal mine drainage 1041, 1387, 1641
 - in formation water 609, 1083, 1481
 - in groundwater 183, 475, 489, 583, 745, 821, 985, 1097, 1179, 1231, 1567, 1653
 - in landfill leachate 659
 - in rain 985
 - in river and stream water 387, 437, 583, 947, 1041, 1369, 1567, 1663
 - in precipitates from coal mine drainage 1041
 - in pyrite 803
 - in sediment 183
 - in spring water 1, 323, 633, 1179, 1595
 - in stream particulates 1663
 - in stream precipitates 947
 - in thermal water 1, 1153, 1595
 - release from mine waste 1215
 - retention in soils 1003
- Solfatara of Pomezia, Alban Hills, Italy 57
- South Australia 73, 475
- South China Sea 95
- Southern Uplands, Scotland 597
- Spain
 - Alhama de Granada 1153
 - Almeria 397
 - Betic Alps 745, 1179
 - Cordoba 1179
- Sr
 - in basalt 351
 - in brine 35
 - in coal 911
 - in coal ash 911
 - in evaporites 351
 - in formation water 609, 1083, 1481
 - in groundwater 489, 745, 1653
 - in lichen 245
 - in marine sediment 19
 - in moss 137, 245, 759
 - in nuclear glass 861
 - in river and stream sediment 339, 1251, 1323, 1455
 - in river and stream water 437, 1041
 - in soil 759, 963

- in spring water 1, 633
 - in suspended sediment 437
 - in thermal water 1, 1153
 - in vascular plants 245
 - release from mine waste 1215
 - sorption by bacteria 939
- ⁸⁵Sr
 - sorption-desorption on colloids 1653
 - sorption on lake sediment 651
- ⁸⁷Sr
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in brine 35
 - in evaporites 351
 - in oilfield water 1269
 - in river and stream water 931
 - in rocks 1269
- Sri Lanka, Walawe Ganga Basin 339
- Standard reference water, for rare earth elements 231
- Sterols, in shelf sediments 95
- Subduction, alteration of sediments during 1055
- Sulfur Bank Hg mine, Clear Lake, California 281
- Sulphide oxidation 803
- Surrey, England 821
- Sweden, Äspö 291
- Switzerland 397
 - The Alps 633
- Sydney Coalfield, Maritimes Basin, Canada 35
- Syria 835
- Ta
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in coal 911
 - in coal ash 911
 - in lichen 245
 - in moss 245
 - in river and stream sediment 339, 1251
 - in soil 963
 - in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Taiwan 95
- Tanzania 317
- Taranaki Basin, New Zealand 419
- Tarim Basin, China 1269
- Tb
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465

Subject Index

in evaporites 351
in lichen 245
in moss 245
in ochre 1465
in river and stream sediment 1251
in soil 963
in standard water 231
in vascular plants 245
release from mine waste 1215

Te

in furnace dust 207
in house dust 207
in nuclear glass 861
in smelter waste 207
in soil 207, 963

Tennessee, U.S.A. 1499

Texas, U.S.A. 183

Th

behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in lichen 245
in marine sediment 19
in moss 137, 245, 759
in nuclear glass 861
in river and stream sediment 339, 1251, 1323
in river and stream water 437
in soil 759, 963
in suspended sediment 437
in vascular plants 245
in volcanic material 57
release from mine waste 1215

²³⁰Th, in volcanic material 57

The Netherlands

Lake Ketel 781
River Rhine 781

Thermal waters 1153

origin of 1
relationship to seismic activity 1

Thermodynamics

of hydrated phases 161
of ice polymorphs 161

Ti

behaviour during alteration of hemi-pelagic sediments 1055
in coal 911
in coal ash 911
in marine sediment 19
in river and stream sediment 339, 1251, 1455
in river and stream water 387
in smelter slag 1567
in soil 963

Subject Index

- in suspended sediment 437
- release from mine waste 1215
- Ti(IV), hydrolysis constants 1115
- Timor Sea 451
- Tl
 - in coal 911
 - in coal ash 911
 - in furnace dust 207
 - in lichen 245
 - in moss 245
 - in river and stream water 387, 437
 - in smelter waste 207
 - in soil 207, 1165
 - in vascular plants 245
 - release from mine waste 1215
- Tm
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in ochre 1465
 - in river and stream sediment 1251
 - in standard water 231
 - release from mine waste 1215
- Tono, Japan 849
- Transmission Electron Microscopy, to investigate metal speciation 1165
- Turkey
 - Anatolia 835
 - Ankara 911
- U
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in aquifer rocks 109
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1041
 - in lichen 245
 - in moss 137, 245
 - in nuclear glass 861
 - in river and stream sediment 339, 1251
 - in river and stream water 387, 437, 1041
 - in soil 963
 - in suspended sediment 437
 - in vascular plants 245
 - in volcanic material 57
 - release from mine waste 1215
- ²³⁴U
 - in aquifer rocks 109
 - in volcanic material 57
- U-series disequilibrium

Subject Index

- for estimation of environmental impact of volcanic gases 57
- for volcanic geochronology 57
- U-Th disequilibrium series, to measure erosion of calcite 835
- United Kingdom 1193
 - England 651, 821, 1261, 1465, 1621, 1693
 - Scotland 597
 - Wales 1291
- Ural Mountains, Russia 19
- Urban pollution 409, 1361
- U.S.A.
 - California 281, 947, 1513, 1567, 1677
 - Colorado 1663
 - Florida 1499
 - Hawaii 317
 - Indiana 1641
 - Kansas 109
 - Missouri 109
 - Montana 1291
 - Nevada 281, 1231
 - Oklahoma 109
 - Oregon 1513
 - Pennsylvania 207
 - Tennessee 1499
 - Texas 183

V

- behaviour during alteration of hemi-pelagic sediments 1055
- in coal mine drainage 1641
- in lichen 245
- in marine sediment 19
- in moss 245, 759
- in river and stream sediment 339, 1251, 1323, 1455
- in river and stream water 387, 437
- in soil 571, 759, 963, 1323
- in suspended sediment 437
- in vascular plants 245
- release from mine waste 1215
- Victoria, Australia 475
- Vienne district, France 1083
- Viking Graben, Norwegian North Sea 609
- Volcanic emissions, environmental impact of 985
- Volatile organic acids
 - in sediment 183
 - production and utilisation by microorganisms 183
- Voronin Trough, Kara Sea, Arctic Ocean 19

W

- in coal 911
- in coal ash 911
- in lichen 245
- in moss 245
- in soil 963

- in suspended sediment 437
 - in vascular plants 245
 - release from mine waste 1215
- Walawe Ganga Basin, Sri Lanka 339
- Wales 1291
- Wanlockhead, Southern Uplands, Scotland 597
- Water-rock interaction 35, 633, 745, 1055
- Weald Basin, England 821
- Weathering
 - of CaCO_3 835
 - of smelter slag 1193, 1567
 - rates, granite 931
- Xe, in soda spring gases 323
- Xenobiotic organic compounds, in landfill leachate 659
- Xinzhou, Shanxi Province, China 531
- Y
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in evaporites 351
 - in lichen 245
 - in moss 137, 245
 - in nuclear glass 861
 - in river and stream sediment 339, 1251
 - in river and stream water 437
 - in soil 963
 - in vascular plants 245
 - release from mine waste 1215
- Yb
 - behaviour during alteration of hemi-pelagic sediments 1055
 - in basalt 351
 - in coal 911
 - in coal ash 911
 - in coal mine drainage 1465
 - in evaporites 351
 - in Kupferschiefer 375
 - in lichen 245
 - in moss 245
 - in river and stream sediment 1251
 - in river and stream water 437
 - in soil 963
 - in standard water 231
 - in vascular plants 245
 - release from mine waste 1215
- Yucca Mountain, Nevada, U.S.A. 1231, 1653
- Yunnan Province, China 1201
- Zapoljarnij, Kola Peninsula, Russia 759

Zechstein 351, 375

Zhejiang Province, China 1413

Zn

- adsorption on Fe oxyhydroxides 503
 - on MnO_2 1067
- behaviour during alteration of hemi-pelagic sediments 1055
- in aerosols 409
- in atmospheric dust 207, 409
- in coal 911
- in coal ash 911
- in coal mine drainage 1041, 1641
- in coastal sediment 541
- in floodplains 1707
- in formation water 609, 1481
- in furnace dust 207
- in gossan 947
- in groundwater 489, 1567
- in house dust 207
- in Kupferschiefer 375
- in lake sediment 781
- in landfill leachate 659
- in lichen 245
- in marine sediment 19
- in moss 245, 759
- in nuclear glass 861
- in pristine river sediment 1139
- in pyrite 803
- in reservoir water 1567
- in river and stream sediment 339, 921, 1251, 1323, 1377, 1387, 1455
- in river and stream water 387, 437, 947, 1041, 1369, 1377, 1567, 1665
- in smelter slag 207, 1567
- in soil 123, 207, 571, 759, 963, 1165, 1361, 1369, 1377, 1387, 1405, 1621, 1693, 1707
- in stream precipitates 947
- in stream particulates 1663
- in suspended sediment 437, 781
- in tailings 1369, 1377
- in tailings leachate 1631
- in till 123
- in vascular plants 245, 1377
- release from mine waste 1215
- smelting, contamination from 207

Zr

- behaviour during alteration of hemi-pelagic sediments 1055
- in coal 911
- in coal ash 911
- in nuclear glass 861
- in river and stream water 437
- in soil 963
- in stream sediment 339
- in suspended sediment 437
- release from mine waste 1215

AUTHOR INDEX (Book Review-BR; Preface-P)

- Aagaard P. 1269
- Abdelmoula M. 559
- Abraham-Peskir J. 1129
- Abrahams P. 1001 (BR)
- Aiuppa A. 985
- Aka F.T. 323
- Albrechtsen H.-J. 659
- Alpers C.N. 1567
- Amellal N. 1611
- Anderson P. 571
- Andrews J.E. 197
- Antweiler R.C. 231
- Aranyossy J.F. 1083
- Aruna R. 1129
- Aspler L. 245
- Äström M. 387
- Äyräs M. 137
- Bain D.C. 931
- Banner J.L. 109
- Barnes-Leslie D.A. 197
- Barnett M.O. 1499
- Batista A.C. 921
- Batista M.J. 921, 1323
- Baun A. 659
- Bechtel A. 375
- Belkin H.E. 1353
- Berthelin J. 1611
- Bertrand V. 803
- Biagini C. 489
- Binz C.M. 109
- Bird D.K. 1567
- Birkett J.W. 1621
- Birkle P. 1595
- Bjerg P.L. 659
- Bogatyrev I. 137
- Bone Y. 475
- Bonfanti P. 985
- Bordenave P. 583
- Bouamama M. 1179
- Boudot J.-P. 513
- Boult S. 1261
- Bourcier W.L. 1115
- Bourrié G. 559
- Brake S.S. 1641
- Brambati A. 541
- Brusca L. 985
- Buatier M.D. 1165
- Bunker D.J. 651
- Buykx S.E.J. 781
- Caballero E. 397
- Cai C. 1269
- Cantagallo M. I. 317
- Caritat P. de 137, 759
- Cerón J.C. 1153
- Cha J.-M. 1455
- Chan C.Y. 1447
- Chan L.Y. 1447
- Chandrajith R. 339
- Chekushin V. 137
- Chen C. 1353
- Chen H.M. 1397
- Chen Y.-W. 409
- Cheng H. 1309
- Chermak J.A. 947
- Chiarenzelli J. 245
- Chon H.-T. 1377, 1387
- Christensen J.B. 659
- Christensen T.H. 659
- Cidu R. 489
- Cisneros J. de 397
- Coleman M.L. 609, 1021
- Connors K.A. 1641
- Cotter-Howells J. 597
- Cousens B. 245
- Covelli S. 541
- Cruz R. 803, 1631
- Cruz-Sanjulián J. 745
- D'Alessandro W. 985
- Dannelly H.K. 1641
- Dennis P.F. 197
- DePaula F.C.F. 1139
- Dibley M.J. 1115
- Dighton J.C. 73
- Di Lisa G.A. 57
- Ding Z. 1353
- Dissanayake C.B. 339
- Dogramaci S.S. 475
- Domagalski J. 1677
- Dong D. 1413
- Drever J.I. 1663
- Drimmie R. 1097
- Du Y. 1413
- Dunn C. 245
- Duthie D.M.L. 931
- Dutkiewicz A. 451
- Eadington P.J. 451
- Eggenkamp 1021
- Einaudi M.T. 1567
- Elliott W.C. 375
- Elsass F. 1165
- Emmerson R.H.C. 1621
- Esposito K.J. 947
- Faganeli J. 541
- Fanfani L. 489
- Favara R. 1, 883
- Federico C. 985
- Feng Z. 1033
- Ferreira A. 1323
- Ferreira L. 1323
- Ferris F.G. 939

Author Index

- Finkelman R.B. 1353
 Finne T.E. 137
 Foucher J.-C. 583
 Franks S.G. 1269
 Frape S. 1097
 Fu J. 1429
 Fu J.M. 1447
 Galasso J.J. 19
 Gao Y. 1345
 Garden L.M. 571
 Gayer R.A. 911
 Gdowski G.E. 1231
 Gee C. 1193
 Génin J.-M.R. 559
 George S.C. 451
 Gérard F. 513
 Gerlach R.W. 281
 Ghazi A.M. 375
 Giammanco S. 883
 Gibling M.R. 35
 Gieskes J.M. 1055
 Gin S. 861
 Gocht T. 1707
 Goldsmith S. 911
 González I. 803, 1631
 Grassa F. 1
 Greenaway A.M. 197
 Grossman E.L. 183
 Gunter W.D. 1481
 Guodong Z. 1201
 Gustin M.S. 281
 Hall L. 947
 Halleraker J.H. 137
 Halter W.E. 793
 Hama K. 849
 Hannula S.R. 947
 Hasegawa T. 291
 Hasiotis S.T. 1641
 Havránek V. 437
 Hendry M.J. 1215
 Heo B. 1041
 Heraty L.B. 109
 Herczeg A.L. 73, 475
 Heron G. 659
 Hidalgo M.C. 745
 Hillier S. 597
 Hilton D.R. 419
 Hilton J. 651
 Hitchon B. 1481
 Hobzová M. 271
 Hoch M. 719
 Hollings P. 1215
 Horvat M. 541
 Howarth R.J. 609
 Huertas F. 397
 Huertas F.J. 397
 Huh C.-A. 95
 Hulston J.R. 419
 Humphries K. 207
 Hunziker J. 633
 Hwang C.K. 1455
 Igarashi T. 291
 Inácio M.M. 1323
 Inguaggiato S. 1, 883
 Iwatsuki T. 849
 Iyer S.S. 317
 Jacquier P. 85
 Jakeš P. 271
 Jendrzewski N. 1021
 Jeng W.-L. 95
 Jensen D.L. 659
 Jollivet P. 861
 Jugdaohsingh R. 1261
 Jullien M. 861
 Jung M.C. 1369, 1377
 Kaplan I.R. 419
 Karayigit A.I. 911
 Kashulina G. 137, 759
 Keith D.C. 947
 Ketterer M.E. 207
 Kharaka Y.K. 1285 (BR)
 Kiefel B. 351
 Kiho K. 291
 Kim I.S. 1419
 Kim J.-Y. 1387, 1455
 Kim K.-W. 1419
 Kirkland R.A. 1215
 Kjeldsen P. 659
 Kloppmann W. 1083
 Knauss K.G. 1115, 1231
 Koch C.B. 1129
 Kotarba M.J. 895
 Kravitz J.H. 19
 Krouse H.R. 317, 1003
 Kučera J. 437
 Kuno A. 1201
 Kusakabe M. 323
 Lachassagne P. 583
 Lahdenperä A.-M. 123
 La Ruffa 489
 Lee C.G. 1377
 Lee H.-K. 1455
 Lee S.C. 1447
 Lester J.N. 1621
 Levy D.B. 947
 Li X. 1289 (P), 1361, 1447, 1693
 Liao Y. 1033
 Lin Z. 1429
 Linares J. 397
 Linder P.W. 1067
 Liu P.S. 1361
 Livens F.R. 651
 Long J. 1353
 López-Chicano M. 1153, 1179
 Lowry J.H. 207
 Lu N. 1653

- Lumsdon D.G. 571
 Ly J. 85
 Mahara Y. 291
 Mai B. 1429
 Majer V. 437
 Marini L. 633
 Marras I. 489
 Martel A.T. 35
 Martelat A. 583
 Mason C.F.V. 1653
 Mather J.D. 821
 Matray J.M. 1083
 Matsuo M. 1201
 Mayer B. 1003
 Meeussen J.C.L. 571
 Meier P. 85
 Melezhik V. 963
 Méndez B.A. 1631
 Mengel K. 351
 Mercury L. 161
 Merkel B. 1595
 Mestre J.P. 861
 Mihaljevič M. 279
 Min Y. 1429
 Min Y.S. 1447
 Miyakawa K. 291
 Mizutani Y. 849
 Moldenhauer K.-M. 1707
 Monroy M. 803, 1631
 Morgado P. 1323
 Mozeto A.A. 1139
 Müller A. 363
 Musgrove M. 109
 Nagao K. 323
 Nakano K. 849
 Nguyen M. 35
 Nicholson R.V. 1215
 Niskavaara H. 137, 759
 Nordstrom D.K. 231
 Novotnak M.P. 207
 Obbard J.P. 1405
 Onacak T. 911
 Oros D.R. 1513, 1545
 Oszczepalski S. 375
 Ozarko D. 245
 Palmisano M. 835
 Parello F. 985
 Park J.-S. 1419
 Parsons M.B. 1567
 Pastorelli S. 633
 Paterson E. 571
 Pauwels H. 583
 Pavlov V. 137
 Pearce N.J.G. 1286 (BR)
 Pearson D.G. 1465
 Pecoraino G. 883
 Peng J.-H. 409
 Pereira V. 1323
 Perkins E.H. 1481
 Pfeifer H.-R. 793
 Pinto M.S. 1323
 Plant J. 1291
 Poon C.-S. 1361
 Portal J.-M. 1611
 Porteous N.C. 821
 Portugal E. 1595
 Powell J. 1261
 Powis K. 245
 Pozo C. 861
 Pretorius P.J. 1067
 Prietzel J. 1003
 Puledo-Bosch A. 1153, 1179
 Püttmann W. 1707
 Ramsey M.H. 1193
 Ranger J. 513
 Raponi A. 835
 Reardon E.J. 531, 1241
 Refait P. 559
 Reimann C. 137, 759, 963
 Rice D.D. 895
 Roe M.J. 931
 Rosenberg N.D. 1231
 Routh J. 183
 Ruble T.E. 451
 Rudolph D. 1097
 Runnells D.D. 947
 Saegusa H. 849
 Schiff S.L. 475
 Scrimshaw M.D. 1621
 Shaw H.F. 1115
 Sheng G. 1429
 Sheng G.Y. 1447
 Siegel F.R. 19
 Simon J. Jr. 207
 Simoneit B.R.T. 1513, 1545
 Singer P.C. 1499
 Small T.D. 939
 Smith A.K. 73
 Smith B. 1261, 1291
 Smith D. 1291
 Smith J.T. 651
 Sobanska S. 1165
 Søgaard E.G. 1129
 Sousa A.J. 921
 Steinmann M. 351
 Stille P. 351
 Stimson J. 1097
 Sturchio N.C. 109
 Suffita J.M. 183
 Sullivan A.B. 1663
 Suzuki K. 597
 Swedlund P.J. 503
 Takano B. 1201
 Tamminen P. 123
 Tanaka Y. 291
 Tanyileke G. 323

Author Index

- Tardy Y. 161
 Tarvainen T. 123
 Taylor H.E. 231
 Thomson C.M. 931
 Thornton I., 1193, 1693
 Tobschall H.J. 339
 Torres-Alvarado I.S. 1595
 Trolard F. 559
 Tu C. 1397
 Turner R.R. 1499
 Ulrich G.A. 183
 Valenza M. 1
 Vallejos A. 1153, 1179
 Van den Berg G.A. 781
 Van den Hoop M.A.G.T. 781
 Van der Heijdt L.M. 781
 Van Emon 281
 Verplanck P.L. 231
 Veselý J. 437
 Viegas L. 921
 Vieillard P. 161
 Voltaggio M. 57, 835
 Voltaggio S. 57, 835
 Wang L. 1251
 Wang S. 1033
 Wang Y. 531, 1241
 Wang X. 1429
 Wang X.M. 1447
 Wang Z. 1345
 Warren L. A 939
 Watts M. 947
 Webster J.G. 503
 White K. 1261
 Wieser M.E. 317
 Williams L. 1291
 Worrall F. 1465
 Xie X. 1309
 Xie Z. 1413
 Xu S. 849
 You C.-F. 1055
 Yu J.-Y. 1041
 Zhang C. 1251
 Zhang G. 1429
 Zheng B. 1333, 1353
 Zheng C.R. 1397
 Zheng L. 1033
 Zhou D. 1353
 Zhou D.M. 1397
 Zhou Y. 1353
 Zhu B.-Q. 409
 Zhu J. 1333
 Ziegler K. 609
 Zwolsman J.J.G. 781

Choose from broad collections of primary journal literature and powerful secondary databases, all deliverable via the Internet or your local Intranet—building blocks for the digital library you need.



For the Digital Library You Want

ScienceDirect offers desktop access to over 1 million articles published in nearly 1,200 journals spanning 16 fields of science and provides researchers with some 2 million bibliographic citations and abstracts. Access may also be provided to an additional 30 million abstracts via ScienceDirect's secondary databases.

Unprecedented content, navigability and customization options

Whether you choose the breadth of the ScienceDirect multi-publisher platform or one of our discipline or industry-focused solutions, you'll be providing your institution with a dynamic, efficient and integrated solution to access the world's critical STM literature.

ScienceDirect Online

ScienceDirect OnSite

ScienceDirect Web editions

ScienceDirect Gateway

ScienceDirect Bibliographic Database Collection

ScienceDirect Industry Solutions: Pharmaceutical

ADONIS®

ScienceServer®

www.sciencedirect.com

NEW YORK
+1 212 633 3809
usinfo@sciencedirect.com

AMSTERDAM
+31 20 485 3767
nlinfo@sciencedirect.com

SINGAPORE
+65 434 3716
sginfo@sciencedirect.com

TOKYO
+81 3 5561 5035
jpinfo@sciencedirect.com

RIO DE JANEIRO
+55 21 509 5340
brinfo@sciencedirect.com

CONTENTS direct

The FREE e-mail
service which deliv-
ers Elsevier Science
book and journal
tables of contents
directly
to your PC

CONTENTS
direct

Sign-up is simple!

- 1** ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
- 2** FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
- 3** THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

REGISTER TODAY

www.elsevier.com/locate/contentdirect

AUTHORS

**If you want to make the best of your artwork
send it in the correct digital format**

All articles accepted for publication in Elsevier Science journals are processed using electronic production methods. Authors should therefore ensure that their artwork conforms to the following guidelines:

- **Colour and greyscale images** should be supplied as **TIFF** or **EPS** files (resolution 300 dpi).
- **Line drawings (black & white or colour)** should be supplied as **EPS** files

*If you need help to create files in these formats, go to
www.elsevier.com/locate/authorartwork/formats*

Please also note:

- We still need a good quality hard copy of each figure in case the electronic file cannot be used. The hard copy and electronic file must match exactly.
- We can use floppy disks, ZIP disks or CD-ROM. Artwork files should be on a separate disk or CD to article text files.
www.elsevier.com/locate/authorartwork/media
- Only standard fonts should be used, for example:
Times, Times New Roman, Helvetica, Arial, Symbol
www.elsevier.com/locate/authorartwork/formats
- Lines should be a minimum width of 0.5 pt.
www.elsevier.com/locate/authorartwork/linewidth
- Only standard colours should be used.
www.elsevier.com/locate/authorartwork/colours
- Lettering should be a consistent size and appropriate to the size of the figure.
www.elsevier.com/locate/authorartwork/sizing
- An image which looks acceptable on a computer may not reproduce well, so it is important to ensure that these guidelines are followed.

*Our Author Artwork website has all the information you need on
how to submit your artwork correctly. Visit it today at:*

www.elsevier.com/locate/authorartwork



ELSEVIER



NORTH
HOLLAND



PERGAMON

Stop wandering, start wondering.

www.scirus.com



SEARCH

SEARCH

SEARCH

SEARCH

SEARCH

VISIT

www.elsevier.com/locate/contentdirect

For scientific information only. **SCIRUS**
www.scirus.com

1 011 2300 4

Be as quick as your student.

▼ WWW.SCIRUS.COM



SEARCH ▼

SEARCH ▼

SEARCH ▼

SEARCH ▼

SEARCH ▼

▼ VISIT

For scientific information only. **SCIRUS**
www.scirus.com

Be as informed as your teacher.

▶ WWW.SCIRUS.COM

SEARCH ▶

SEARCH ▶

SEARCH ▶

SEARCH ▶

SEARCH ▶

▶ VISIT

For scientific information only.

SCIRUS
www.scirus.com